

BID OPENING: October 6, 2005 2:00 PM
Administration Building
1333 Radcliff
Garden City MI 48135
CONTACT PERSON: Gary M. Marchel, Associate Superintendent
734-762-6306

Garden City Public School District is seeking sealed bids for labor and materials to replace wet insulation and patch (as necessary) the roof in marked areas. Approximately 5000 square feet of roof area is affected.

LOCATION: Burger School
30922 Beechwood
Garden City MI 48135

SCOPE OF WORK

- **Provide necessary labor and materials to remove existing roof and wet insulation (areas have been marked) to the first roof layer involving approximately 5000 square feet in 26 different areas.**
- **Replace wet insulation with new isocyanurate insulation to match the height of the existing insulation (mechanically fasten insulation through the first roof to the deck).**
- **Fully adhere new EPDM (60 mil) to the newly insulated areas and tie into the existing roof.**
- **Properly flash all roof drains, vent pipes and curbs as required within repair area.**
- **Clean up and remove all job debris from the job site.**

MISCELLANEOUS DETAILS

- **Contractor to field verify dimensions.**
- **Provide the cost per square foot for additional areas.**
- **Work shall be completed in a workman-like manner per manufacturer's specifications.**
- **The bidder shall provide a notarized copy of the "Familial Relationship Disclosure Statement" as required by the State of Michigan (form available at Administration Building).**

BIDS ARE TO BE SEALED AND MARKED:

BURGER ROOF REPAIR
ATTENTION: GARY MARCHEL